## **QUARTERLY NEPTUNE AIR PERMIT REPORTING**



## **NEPTUNE BULK TERMINALS LTD.**

Reporting Period: 2021 - Quarter 1





## Neptune BULK TERMINALS LTD.

#### Prepared for:

Neptune Bulk Terminals 1001 Low Level Rd. North Vancouver, BC, V7L 1A7

#### Prepared by:

Envirochem Services Inc. #206 - 267 Esplanade West North Vancouver, BC V7M 1A5 www.envirochem.com

Reporting Period: 2021 - Quarter 1

	_	_	 				 
-		$\mathbf{n}$	$\sim$ $\sim$	~	<b>~ ~ .</b> .	-	 -
	/\	ĸ	<i>,</i> , , ,		11/1		•
	_	D	 OF		JIN		

1	ВАСК	GROUND1			
2	QUARTERLY REPORTING				
	2.1	ON-SITE PM <sub>2.5</sub> AND PM <sub>10</sub> MONITORING - 24-HR ROLLING AVERAGES			
	2.2	OFF-SITE PM <sub>2.5</sub> AND PM <sub>10</sub> MONITORING - 24-HOUR ROLLING AVERAGE EXCEEDANCES OF PM <sub>2.5</sub> AND PM <sub>10</sub> FROM AAQO			
		LIST OF FIGURES			
_		nour rolling averages of PM <sub>2.5</sub> data from on-site monitor for the first calendar quarter 			
_		nour rolling averages of PM <sub>10</sub> data from on-site monitor for the first calendar quarter 4			
L	IST (	OF TABLES			
		Site 24-hour rolling average $PM_{2.5}$ and $PM_{10}$ AAQO exceedances for the first quarter o March 31 <sup>st</sup> , 2021)6			



#### 1 BACKGROUND

To meet Metro Vancouver Air Permit GVA0081 (issued September 23<sup>rd</sup>, 2016) requirements, Neptune Bulk Terminals Ltd. (Neptune) has implemented a procedure for periodic permit reporting requirements to Metro Vancouver.

Fulfilling these requirements requires processing and checking large amounts of data. The procedures in this report provide an efficient means of processing large amounts of data and ensuring that all calculations and outputs generated are completed accurately. In order to increase the efficiency of this process, Neptune has implemented a data management system which allows for uploading of data to the Neptune database and generation of outputs. Envirochem Services Inc. (Envirochem) has been retained to calculate, tabulate and report these requirements to Metro Vancouver and ensure that:

- Raw data being collected and used for generating outputs is valid,
- Correct methodologies are used to generate these outputs, and
- Any outputs being generated undergo quality assurance/quality control (QA/QC) before being submitted electronically to Metro Vancouver.

All of the procedures contained within this report detail methodologies in conformance with Section 3 Schedules A and B of the current version of the permit (September 23<sup>rd</sup>, 2016).

This report includes quarterly particulate matter monitoring reporting requirements.



### 2 QUARTERLY REPORTING

#### 2.1 ON-SITE PM<sub>2.5</sub> AND PM<sub>10</sub> MONITORING - 24-HR ROLLING AVERAGES

#### 2.1.1 METHODOLOGY

Neptune is conducting continuous  $PM_{2.5}$  and  $PM_{10}$  monitoring using two Met-One E-BAM Plus monitors on-site near the northwest boundary of Neptune Terminals on the roof of the terminal's electrical substation building.

Ambient Air Monitoring data for  $PM_{2.5}$  and  $PM_{10}$  are stored in Neptune's database. These data are retrieved and verified by Envirochem. QA/QC is performed on the raw data and any invalid data are flagged. Neptune's data management system is then updated accordingly.

#### **2.1.2 RESULTS**

Using Neptune's data management system, Envirochem:

- Converts the vetted PM<sub>2.5</sub> and PM<sub>10</sub> data to 24-hour rolling averages and performs QA/QC;
- On a quarterly basis, submits the graphs (Figure 1 and Figure 2) to Metro Vancouver.

There were no PM<sub>2.5</sub> and PM<sub>10</sub> AAQO exceedances observed in Q1 of 2021.






Figure 1: 24-hour rolling averages of PM<sub>2.5</sub> data from on-site monitor for the first calendar quarter 2021 (January 1<sup>st</sup> to March 31<sup>st</sup>, 2021)

Note: Blank space indicates that no data is available due to power failure or instrument maintenance




Figure 2: 24-hour rolling averages of PM<sub>10</sub> data from on-site monitor for the first calendar quarter 2021 (January 1<sup>st</sup> to March 31<sup>st</sup>, 2021)

Note: Blank space indicates that no data is available due to power failure or instrument maintenance

# 2.2 OFF-SITE PM<sub>2.5</sub> AND PM<sub>10</sub> MONITORING - 24-HOUR ROLLING AVERAGE EXCEEDANCES OF PM<sub>2.5</sub> AND PM<sub>10</sub> FROM AAQO

#### 2.2.1 METHODOLOGY

Neptune is conducting continuous PM<sub>2.5</sub> and PM<sub>10</sub> monitoring off-site from the terminal at these two locations (in the neighbouring areas):

- To the northeast of the Neptune Terminals, on the roof of 340 Brooksbank Avenue (Neptune's office) equipped with a PM<sub>10</sub> monitor (Met One E-BAM Plus) and a PM<sub>2.5</sub> monitor (SHARP 5030i).
- To the northwest of the Neptune Terminals in the residential area at 618 2<sup>nd</sup> Street East using two pole mounted PM<sub>2.5</sub> and PM<sub>10</sub> monitors (Met One E-BAM Plus).

Ambient Air Monitoring data for  $PM_{2.5}$  and  $PM_{10}$  is stored in Neptune's database. These data are retrieved and verified by Envirochem. QA/QC is performed on the raw data and any invalid data are flagged. Neptune's data management system is then updated accordingly.

#### 2.2.2 RESULTS

Using Neptune's data management system, Envirochem:

- Converts the vetted PM<sub>2.5</sub> and PM<sub>10</sub> data to 24-hour rolling averages;
- Retrieves the quarterly 24-hour rolling averages from Neptune's database;
- Identifies and flags any 24-hour rolling averages which exceed Metro Vancouver Ambient Air Quality Objectives (AAQOs) for PM<sub>2.5</sub> and PM<sub>10</sub>;
- On a quarterly basis, tabulates all exceedances (Table 1) and submits them to Metro Vancouver.



Table 1: Off-Site 24-hour rolling average PM<sub>2.5</sub> and PM<sub>10</sub> AAQO exceedances for the first quarter (January 1<sup>st</sup> to March 31<sup>st</sup>, 2021)

quarter (surrainty 1 to martin 51 ) 1021,					
METRO VANCOUVER PERMIT GVA 0081					
Neptune Bulk Terminals (Canada) Ltd.					
OFF-SITE 24-HR ROLLING AVERAGE PM <sub>2.5</sub> AND PM <sub>10</sub> AAQO EXCEEDANCES					
Reporting Period:	January 1 <sup>st</sup> - March 31 <sup>st</sup> , 2021				

Exceedance Event	MV AAQO		Neptune Office (340 Brooksbank Ave.)	Neighbourhood Pole (618 E 2 <sup>nd</sup> St.)	
	Contaminant	μg/m³	Period of Exceedance		
	PM <sub>2.5</sub>	25	No exceedances observed in Q1 of 2021		
_	PM <sub>10</sub>	50			