QUARTERLY NEPTUNE AIR PERMIT REPORTING

NEPTUNE BULK TERMINALS LTD.

Reporting Period: 2021 – Quarter 3

envirochem

Neptune TERMINALS

Neptune BULK TERMINALS LTD.

Prepared for:

Neptune Bulk Terminals
1001 Low Level Rd.
North Vancouver, BC, V7L 1A7

Prepared by:

Envirochem Services Inc.
#206 - 267 Esplanade West
North Vancouver, BC V7M 1A5
www.envirochem.com

Reporting Period: 2021 – Quarter 3

TABLE OF CONTENTS

1 BACKGROUND 1

2 QUARTERLY REPORTING 2

2.1 ON-SITE $PM_{2.5}$ AND PM_{10} MONITORING - 24-HR ROLLING AVERAGES 2

2.2 OFF-SITE $PM_{2.5}$ AND PM_{10} MONITORING - 24-HOUR ROLLING AVERAGE EXCEEDANCES OF $PM_{2.5}$ AND PM_{10} FROM AAQO 5

LIST OF FIGURES

Figure 1: 24-hour rolling averages of $PM_{2.5}$ data from on-site monitor for the third calendar quarter 2021 3

Figure 2: 24-hour rolling averages of PM_{10} data from on-site monitor for the third calendar quarter 2021 4

Figure 3: Wind rose during hours contributing to PM_{10} 24-hr rolling average AAQO exceedance (not including hours associated with Metro Vancouver Air Quality Advisories) with PM_{10} concentrations greater than 50 µg/m^3 for the third calendar quarter (July 1st to September 30th, 2021) 6

Figure 4: Microscopic analysis of E-BAM filter tape showing an example hour with westerly wind and light brown colour particles 7

Figure 5: 24-hour rolling averages of $PM_{2.5}$ data for comparison from nearby monitoring stations during the third calendar quarter (July 1st to September 30th, 2021) 10

Figure 6: 24-hour rolling averages of PM_{10} data for comparison from nearby monitoring stations during the third calendar quarter (July 1st to September 30th, 2021) 11

LIST OF TABLES

Table 1: Off-Site 24-hour rolling average $PM_{2.5}$ and PM_{10} AAQO exceedances for the second quarter (July 1st to September 30th, 2021) 9

1 BACKGROUND

To meet Metro Vancouver Air Permit GVA0081 (issued September 23rd, 2016) requirements, Neptune Bulk Terminals Ltd. (Neptune) has implemented a procedure for periodic permit reporting requirements to Metro Vancouver.

Fulfilling these requirements requires processing and checking large amounts of data. The procedures in this report provide an efficient means of processing large amounts of data and ensuring that all calculations and outputs generated are completed accurately. In order to increase the efficiency of this process, Neptune has implemented a data management system which allows for uploading of data to the Neptune database and generation of outputs. Envirochem Services Inc. (Envirochem) has been retained to calculate, tabulate and report these requirements to Metro Vancouver and ensure that:

- Raw data being collected and used for generating outputs is valid,
- Correct methodologies are used to generate these outputs, and
- Any outputs being generated undergo quality assurance/quality control (QA/QC) before being submitted electronically to Metro Vancouver.

All of the procedures contained within this report detail methodologies in conformance with Section 3 Schedules A and B of the current version of the permit (September 23rd, 2016).

This report includes quarterly particulate matter monitoring reporting requirements.

2 QUARTERLY REPORTING

2.1 ON-SITE $PM_{2.5}$ AND PM_{10} MONITORING - 24-HR ROLLING AVERAGES

2.1.1 METHODOLOGY

Neptune is conducting continuous $PM_{2.5}$ and PM_{10} monitoring using two Met-One E-BAM Plus monitors on-site near the northwest boundary of Neptune Terminals on the roof of the terminal's electrical substation building.

Ambient Air Monitoring data for $PM_{2.5}$ and PM_{10} are stored in Neptune's database. These data are retrieved and verified by Envirochem. QA/QC is performed on the raw data and any invalid data are flagged. Neptune's data management system is then updated accordingly.

2.1.2 RESULTS

Using Neptune's data management system, Envirochem:

- Converts the vetted $PM_{2.5}$ and PM_{10} data to 24-hour rolling averages and performs QA/QC;
- On a quarterly basis, submits the graphs (**Figure** 1 and **Figure** 2) to Metro Vancouver.

During Quarter 3 of 2021, there were a few exceedances of the 24-hour $PM_{2.5}$ and PM_{10} AAQOs at Neptune's on-site monitors (**Figure 1** and **Figure 2**). All $PM_{2.5}$, and most PM_{10} exceedances corresponded to high ambient particulate levels at other monitoring stations in the region. To support this observation, $PM_{2.5}$ and PM_{10} concentrations at the nearby Metro Vancouver monitoring stations (T06, T18, T24, and T26) are presented in **Figure 5** and **Figure 6**. It should be noted that Metro Vancouver Air Quality Advisories were in place from August 1st to August 3rd and from August 13th to August 15th which were due to high concentrations of fine particulate matter in the region.

There were also a few 24-hour PM_{10} AAQO exceedances at Neptune's on-site monitor (electrical substation) outside of Metro Vancouver Air Quality Advisory periods. To investigate the attributable particulate for exceedances of the 24-hour PM_{10} AAQO outside of Metro Vancouver Air Quality Advisory periods:

- Wind speed and direction during hours with PM_{10} concentrations at or above 50 µg/m^3 were analyzed (**Figure 3**);
- Optical (microscopic) analysis of the E-BAM filter tape was performed (**Figure 4**).

Results and findings are summarized below.



Figure 1: 24-hour rolling averages of $PM_{2.5}$ data from on-site monitor for the third calendar quarter 2021 (July 1st to September 30th, 2021)

Note: Blank space indicates that no data is available due to power failure or instrument maintenance.



Figure 2: 24-hour rolling averages of PM_{10} data from on-site monitor for the third calendar quarter 2021 (July 1st to September 30th, 2021)

Note: Blank space indicates that no data is available due to power failure or instrument maintenance.

2.1.3 WIND ANALYSIS

To investigate the attributable particulate to the observed PM_{10} exceedances, wind speed and direction during hours of those events with hourly average PM_{10} concentrations of 50 µg/m^3 or greater were analyzed. 50 µg/m^3 was conservatively chosen as it is the 24-hour AAQO for PM_{10}. Hence, hours with 50 µg/m^3 PM_{10} or above were considered to have a possible contribution to the AAQO exceedances. Hours during periods impacted by Metro Vancouver Air Quality Advisories were not considered. As can be seen in **Figure 3**, during hours with 50 µg/m^3 PM_{10} or higher, the wind direction was from the west, blowing from offsite of the Neptune property toward the monitor.

Figure 3: Wind rose during hours contributing to PM_{10} 24-hr rolling average AAQO exceedance (not including hours associated with Metro Vancouver Air Quality Advisories) with PM_{10} concentrations greater than 50 µg/m^3 for the third calendar quarter (July 1st to September 30th, 2021)

Note: The presented wind rose is based on "winds blowing from".

2.1.4 OPTICAL (MICROSCOPIC) ANALYSIS

To support the findings from the wind data, optical analysis was performed for some E-BAM Plus filter tape spots during hours with PM_{10} concentrations greater than 50 µg/m^3 that contributed to PM_{10} 24-hr rolling average AAQO exceedances that were not associated with a Metro Vancouver Air Quality Advisory. An example spot is shown in **Figure 4**.

- **Sep 21st, 2021 12:00**
- **PM_{10} Hourly Average = 191.87 µg/m^3**
- **Contributed to 24-hour PM_{10} exceedance**
- **Westerly wind**
- **Light brown colour particles**



Figure 4: Microscopic analysis of E-BAM filter tape showing an example hour with westerly wind and light brown colour particles

The optical analysis was conducted to elucidate the major components of the particulate on the E-BAM filter tape with respect to coal dust and other particles. For this analysis, a light microscope (OMAX 40x-2500x) with a 10x ocular lens, 4x/10x/40x objective lenses, and a 0.5x mountable camera (OMAX A3RDF50) was used. E-BAM filter tape is made of glass fibres that are visible in the microscopic pictures.

The microscopic analyses indicated that hours with westerly winds often show a majority of grain particles (chaff and flake with a brown color) associated with offsite sources from the west of the site boundary. The microscopic analysis therefore supports the wind analysis and suggests that there are significant sources of dust in the area that contribute to monitored particulate concentrations that are not coal (e.g. grain dust etc.).

2.2 OFF-SITE PM_{10} AND $PM_{2.5}$ MONITORING - 24-HOUR ROLLING AVERAGE EXCEEDANCES OF PM_{10} AND $PM_{2.5}$ FROM AAQO

2.2.1 METHODOLOGY

Neptune is conducting continuous $PM_{2.5}$ and PM_{10} monitoring off-site from the terminal at these two locations (in the neighbouring areas):

- To the northeast of the Neptune Terminals, on the roof of 340 Brooksbank Avenue (Neptune's office) equipped with a PM_{10} monitor (Met One E-BAM Plus) and a $PM_{2.5}$ monitor (SHARP 5030i).
    - ***Please note: due to roof maintenance/repairs at this location, the PM_{10} monitor has been temporarily relocated to the nearby roof of 1327 Keith Road East (Carlton Tower) where Neptune also operates a $PM_{2.5}$ monitor (SHARP 5030i).***
- To the northwest of the Neptune Terminals in the residential area at 618 2nd Street East using two pole mounted $PM_{2.5}$ and PM_{10} monitors (Met One E-BAM Plus).

Ambient Air Monitoring data for $PM_{2.5}$ and PM_{10} is stored in Neptune's database. These data are retrieved and verified by Envirochem. QA/QC is performed on the raw data and any invalid data are flagged. Neptune's data management system is then updated accordingly.

2.2.2 RESULTS

Using Neptune's data management system, Envirochem:

- Converts the vetted $PM_{2.5}$ and PM_{10} data to 24-hour rolling averages;
- Retrieves the quarterly 24-hour rolling averages from Neptune's database;
- Identifies and flags any 24-hour rolling averages which exceed Metro Vancouver Ambient Air Quality Objectives (AAQOs) for $PM_{2.5}$ and PM_{10};
- On a quarterly basis, tabulates all exceedances (**Table 1**) and submits them to Metro Vancouver.

During Quarter 3 of 2021, there were a few exceedances of the 24-hour $PM_{2.5}$ and PM_{10} AAQO at Neptune's off-site monitors (see **Table 1** - Events 1 and 2). Similar to the on-site monitors, these were likely due to high ambient particulate levels in the region. A Metro Vancouver issued air quality advisory for PM was in place for the region from August 1st to August 3rd and from August 13th to August 15th. To support this observation, particulate concentrations at nearby Metro Vancouver monitoring stations are presented in **Section 2.2.3**.

Table 1: Off-Site 24-hour rolling average $PM_{2.5}$ and PM_{10} AAQO exceedances for the second quarter (July 1st to September 30th, 2021)

METRO VANCOUVER PERMIT GVA 0081	
Neptune Bulk Terminals (Canada) Ltd.	
OFF-SITE 24-HR ROLLING AVERAGE $PM_{2.5}$ AND PM_{10} AAQO EXCEEDANCES	
Reporting Period:	**July 1st - September 30th, 2021**

Exceedance Event	MV AAQO		Carlton Tower* (1327 Keith Road East)	Neighbourhood pole (618 E 2nd St.)
	Contaminant	µg/m³	Period of Exceedance	
1	$PM_{2.5}$	25	17:00 August 13th – 08:00 August 15th	15:00 August 13th – 09:00 August 15th
	PM_{10}	50	13:00 August 12th – 00:00 August 15th	12:00 August 13th – 05:00 August 15th

**As notified in correspondence with Metro Vancouver dated June 22nd, 2021, $PM_{2.5}$ and PM_{10} units were temporarily taken down at 340 Brooksbank Avenue on June 25th due to required rooftop maintenance/repairs announced by the building's landlord. $PM_{2.5}$ data after June 25th was retrieved from the nearby $PM_{2.5}$ station at the Carlton Tower building (located at 1327 Keith Road East) that is operated by Neptune as part of a due diligence program and outside of the scope of their Ambient Air Monitoring Program. This station is close to 340 Brooksbank Avenue and in the same direction from the Neptune terminal. As notified in correspondence with Metro Vancouver dated July 29th, 2021, the PM_{10} monitor operated at 340 Brooksbank Avenue under the Ambient Air Monitoring Program has been temporarily relocated since July 9th to the rooftop of the Carlton Tower building to operate alongside the $PM_{2.5}$ instrument and maintain the coherence of the PM_{10} dataset.*

2.2.3 METRO VANCOUVER MONITORING STATION ANALYSIS

Particulate concentrations at nearby Metro Vancouver monitoring stations are presented for comparison below. **Figure 5** presents $PM_{2.5}$ data at T06 and T26, while **Figure 6** presents PM_{10} data at T24 and T18. The $PM_{2.5}$ monitoring stations show AAQO exceedances during the same period as the off-site Neptune monitors. The PM_{10} stations are further afield in Burnaby and show the same general trends.



Figure 5: 24-hour rolling averages of $PM_{2.5}$ data for comparison from nearby monitoring stations during the third calendar quarter (July 1st to September 30th, 2021)

T06 – North Vancouver - Second Narrows, T26 – North Vancouver - Mahon Park



Figure 6: 24-hour rolling averages of PM_{10} data for comparison from nearby monitoring stations during the third calendar quarter (July 1st to September 30th, 2021)

T24 – Burnaby North, T18 – Burnaby South

Note: There are no PM10 stations in North Vancouver. The Burnaby stations shown here indicate a similar trend to other stations in the region.